



Tall side column, wood & stone


A wall-hung column that completes the SW-MC mirror cabinet and the SW-MS lit mirror: the same oak sides and the same handle-free mirror door with a 20 mm finger pull. Two depths — a slim 150 mm column beside the mirror, or 350 mm for towels and full-size bottles — and two heights: 1200 closed, or 1400 with a 200 mm open niche at the bottom.

RANGE (8 CODES)

W 300 / 400 × D 150 / 350 × H 1200 (closed) / 1400 (200 open niche). Code SW-TC-
<W cm>-<D cm>-<H cm>, e.g. SW-TC-040-35-140. Hinge left or right to order.

SPECIFICATION

- Cheeks: solid oak 20 mm, natural oil (walnut option)
- Door: 16 mm MR board, lacquered inside + 4 mm mirror on the front; 3 concealed soft-close hinges; runs 20 mm below the carcass as the finger pull
- Carcass: 16 mm MR board top and bottom; 5 mm plywood back in grooves 17 mm from the wall, lacquered; 4 adjustable 6 mm glass shelves
- 1200: closed to the floor of the unit — door runs to the bottom of the cheeks
- 1400: 200 mm open niche — Corian shelf with a seamless front edge, oak-veneer back
- No electrics. Fixing: French cleat in the 17 mm recess; top typically in line with the SW-MC top (1830 mm above floor)



SIZES

CODE	W × H × D	BOTTOM	DOOR W × H	INTERIOR W × D × H	GLASS SHELF × 4	KG
SW-TC-030-15-120	300 × 1200 × 150	closed	256 × 1198	260 × 106 × 1148	256 × 94	≈ 15
SW-TC-040-15-120	400 × 1200 × 150	closed	356 × 1198	360 × 106 × 1148	356 × 94	≈ 19
SW-TC-030-35-120	300 × 1200 × 350	closed	256 × 1198	260 × 306 × 1148	256 × 294	≈ 26
SW-TC-040-35-120	400 × 1200 × 350	closed	356 × 1198	360 × 306 × 1148	356 × 294	≈ 32
SW-TC-030-15-140	300 × 1400 × 150	200 open niche	256 × 1190	260 × 106 × 1140	256 × 94	≈ 17
SW-TC-040-15-140	400 × 1400 × 150	200 open niche	356 × 1190	360 × 106 × 1140	356 × 94	≈ 22
SW-TC-030-35-140	300 × 1400 × 350	200 open niche	256 × 1190	260 × 306 × 1140	256 × 294	≈ 31
SW-TC-040-35-140	400 × 1400 × 350	200 open niche	356 × 1190	360 × 306 × 1140	356 × 294	≈ 38

Drawings show the 400 width. Weights are estimates from part volumes (oak 700, MR 750, ply 600, Corian 1700, glass and mirror 2500 kg/m³), without hinges. Top in line with the SW-MC (typ. 1830 above floor): underside at about 630 (1200) or 430 (1400).

CUTTING LIST — FINISHED SIZES PER CODE

PART	MATERIAL	030-15-120	040-15-120	030-35-120	040-35-120	030-15-140	040-15-140	030-35-140	040-35-140
Cheek x2	Solid oak 20, oiled	1200×150×20	1200×150×20	1200×350×20	1200×350×20	1400×150×20	1400×150×20	1400×350×20	1400×350×20
Carcass bottom	MR 16, lacquer	260×128×16	360×128×16	328×260×16	360×328×16	260×128×16	360×128×16	328×260×16	360×328×16
Carcass top	MR 16, lacquer	260×128×16	360×128×16	328×260×16	360×328×16	260×128×16	360×128×16	328×260×16	360×328×16
Back panel	Ply 5, lacquered	1159×275×5	1159×375×5	1159×275×5	1159×375×5	1151×275×5	1151×375×5	1151×275×5	1151×375×5
Glass shelf x4	Tempered 6	256×94×6	356×94×6	294×256×6	356×294×6	256×94×6	356×94×6	294×256×6	356×294×6
Door panel	MR 16, lacquer inside	1198×256×16	1198×356×16	1198×256×16	1198×356×16	1190×256×16	1190×356×16	1190×256×16	1190×356×16
Door mirror	Mirror 4, glued	1198×256×4	1198×356×4	1198×256×4	1198×356×4	1190×256×4	1190×356×4	1190×256×4	1190×356×4
Cleat, cabinet	Bought-in	260×60×8	360×60×8	260×60×8	360×60×8	260×60×8	360×60×8	260×60×8	360×60×8
Cleat, wall	Bought-in	230×60×7	330×60×7	230×60×7	330×60×7	230×60×7	330×60×7	230×60×7	330×60×7
Niche core	MR 16	–	–	–	–	260×138×16	360×138×16	338×260×16	360×338×16
Corian top	Corian 12	–	–	–	–	260×150×12	360×150×12	350×260×12	360×350×12
Corian edge	Corian 12, seamless	–	–	–	–	260×16×12	360×16×12	260×16×12	360×16×12
Niche back	Oak-veneer ply 5	–	–	–	–	275×205.5×5	375×205.5×5	275×205.5×5	375×205.5×5

Finished sizes in mm (L × W × T). Codes: SW-TC-<width cm>-<depth cm>-<height cm>. 3 soft-close hinges per door (110°), hinge side to order (L/R).


PRODUCTION NOTES

- Back: 5 mm plywood housed in 5.5 mm grooves 17 mm from the rear edge — stopped grooves 8 deep in the cheeks, 6 deep in top and bottom. Assemble the frame round the back.
- 1200 version: carcass bottom set 20 mm up from the bottom of the cheeks so the door can run down as the finger pull.
- Shelf pins: 5 mm holes on a 32 mm system in both cheeks, 4 glass shelves.
- Door: 3 soft-close hinges (110°); drill the door only once the hinge side is confirmed.
- 1400 version: Corian top and front edge joined with colour-matched adhesive, sanded seamless.


FIXING & SAFETY

- One French cleat at the top; the cheeks bear on the wall at the bottom.
- 350-deep version: use wall plugs and screws rated for ≥ 3 × the loaded weight (shelves full).
- No electrics in this model.


CONSTRUCTION DETAILS (400 WIDE)




DETAIL B · BACK HOUSING & FRENCH CLEAT (ALL)



DETAIL E · PLAN, BACK IN CHEEK GROOVE & DOOR (15 DEEP)



DETAIL C · 1200 VERSION: FINGER PULL AT THE BOTTOM



DETAIL D · 1400 VERSION: CORIAN NICHE SHELF